

Faktis Hamburg 4

Yellow Sulphur Factice



Description

Yellow sulphur factice, free of mineral oil

Composition

Rapeseed oil, partly hydrogenated, cross-linked with sulphur

Application

For light coloured articles based on general purpose rubbers. Factice Hamburg 4 is especially suitable for microcellular rubber as it improves the cell size uniformity

Dosage

10 – 30 phr, depending on the application

Benefits

Popular for light compounds
Economical alternative to factice Gloria 17
Good dispersibility
BfR / FDA suitable

Associated products

Gloria 17
Gloria L
Hamburg M

Storage

In originally sealed package in cool and dry places
Storage stability: min. 24 months

Supply Form

25 kg in PE-bags

Typical physical properties

		Unit
Colour	Ochre fine crumbs or ground product	/
Total sulphur	15 – 18	%
Free sulphur	0.8 – 1.3	%
Acetone extract	approx. 18	%
Ash, 2h at 950°C	max. 0.2	%
Density at 20°C	1.1	g/cm ³

German Food Legislation (BfR recommendation XXI)

Approved

US Code of Federal Regulations, FDA – CFR Title 21, 177.2600

Listed

Version: 01/2022